

© 2006 Blackwell Publishing Ltd *Journal of Internal Medicine* 260: 399–406

© 2004 Blackwell Publishing Ltd, *Journal of Internal Medicine* 255: 105–112

[illegible][illegible]

1. The first step is to identify the problem. This involves understanding the current situation and what needs to be improved.

© 2000 by John Wiley & Sons, Inc. All rights reserved. This journal is registered at the Copyright Clearance Center, Inc., 222 Rosewood Drive, Danvers, MA 01923. Organizations in the USA who are also registered with the Copyright Clearance Center may therefore copy material (beyond the limits permitted by sections 107 and 108 of US copyright law) subject to payment to CCC of the per copy fee of \$05.00. This consent does not extend to multiple copying for promotional or commercial purposes. ISI Tear Sheet Service, 3501 Market Street, Philadelphia, PA 19104, USA, is authorized to supply single copies of separate articles for private use only. Organizations authorized by the Copyright Licensing Agency may also copy material subject to the usual conditions. For all other use, permission should be sought from John Wiley & Sons, Inc. 0890-0604/00/0005-0000\$05.00

Elaborado a partir de *Handbook of the History of the United States*, de John H. Coatsworth, 1997, p. 10. Disponível em: <http://www.history.com/education/teaching/primarysources/1890s/1890s.html>. Acesso em: 10/05/2014.



Montagen im Vergleich der Werte
Montagen im Vergleich der Werte
 ...

.....

1. The first step is to identify the problem. This involves understanding the current situation and what needs to be changed.

© 2000 by American Medical Association. All rights reserved. Reproduction of this article is permitted in any format for educational and research purposes, provided the original source is properly cited. For more information, contact the Copyright Clearance Center, Inc., 222 Rosewood Drive, Danvers, MA 01923.

Age Group	Percentage
18-24	10%
25-34	20%
35-44	25%
45-54	20%
55-64	15%
65-74	10%
75-84	5%
85+	5%



Fig. 2.10. Example of a complex system with multiple inputs and outputs. The system is a black box with multiple inputs and outputs. The inputs are represented by arrows pointing into the box, and the outputs are represented by arrows pointing out of the box. The system is a complex system with multiple inputs and outputs.



Ministerio de Transportes de la Nación
Comando en Jefe Ministerio de Tránsito
Comando en Jefe de la Policía de Tránsito

© 2011 by John Wiley & Sons, Inc. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, scanning, or otherwise, except as may be permitted in writing by John Wiley & Sons, Inc. This publication is intended solely for the personal use of the individual user and is not to be disseminated broadly. Reproduction or translation of this publication, in whole or in part, without the prior written permission of John Wiley & Sons, Inc., is prohibited.

10. If the subject is female, reproductive tract is also taken through vagina, uterus and cervix. Uterus is fixed in formalin and the cervix is fixed in Bouin's fluid. The rest of the reproductive tract is fixed in Bouin's fluid.



© 2006 The Authors
Journal compilation © 2006 Blackwell Publishing Ltd

~~SECRET~~